

# ALLTY 2000

CO-BRANDED

OLIGHT x MAGICSHINE



- **Perfect** bike headlight for MTB riding and road cycling
- **Max** 2,000 lumens output and 14.5h runtime via two 3500 mAh 18650 batteries
- **Safety:** Daytime running light for safety riding
- **High Efficiency Optical Lens:** to increase the warning effect.
- **Optional Installation:** attached on the computer mount or via GoPro camera mount with Garmin mount
- **Creative OLED Screen:** indicate lighting mode, battery level and available running time to make better cycling plan

## GENERAL DATA

**Beam Distance (ft)** 541

**Beam Distance (m)** 165

**Max. Performance (lumens)** 2000

**Charge type** Micro-USB

**Compatible Batteries** A Battery Pack with Two 3.6V 3500mAh 18650 Batteries

## GENERAL DATA

<b>Light Form</b>	CREE XM-L2
<b>Lens / Reflector Type</b>	High Efficiency Optical Lens
<b>Mode Operation</b>	Side Switch
<b>Form/Size Factor</b>	Medium size
<b>Series</b>	Bike Light Series

## LIGHTING LEVELS

<b>LEVEL 1 (lumens)</b>	55
<b>Run-time LEVEL 1</b>	14.5
<b>LEVEL 2 (lumens)</b>	100 ~ 250 ~ 500 ~ 1000
<b>Run-time LEVEL 2</b>	<b>10 ~ 5.5 ~ 3.5 ~ 2</b>
<b>LEVEL 3 (lumens)</b>	100 ~ 250 ~ 500 ~ 1000
<b>Run-time LEVEL 3</b>	10 ~ 5.5 ~ 3.5 ~ 2
<b>LEVEL 4 (lumens)</b>	200 ~ 500 ~ 1000 ~ 2000
<b>Run-time LEVEL 4</b>	8.5 ~ 3.5 ~ 2 ~ 1
<b>LEVEL 5 (lumens)</b>	200 ~ 500 ~ 1000 ~ 1800
<b>Run-time LEVEL 5</b>	<b>10.5 ~ 5.5 ~ 3.5 ~ 1.5</b>
<b>Strobe</b>	No
<b>SOS / BEACON</b>	No

## TECHNICAL CHARACTERISTICS

<b>Waterproof</b>	IPX5
<b>Weight (g / oz)</b>	183 / 6.46

## GENERAL DATA

**Length (mm / in)** 99 / 3.89

**Height (mm / in)** 39 / 1.54

**Width (mm / in)** 42 / 1.65

**Packaging** Color Box

**Use** Road Cycling, Trail Cycling, MTB Riding

- Package Contents**
- Allty 2000 (Batteries Included) x 1
  - Handlebar Mount x 1
  - Silicone Strap x 3
  - Micro-USB cable x 1
  - 3mm Hex x 1
  - User Manual x 1



# ALLTY 2000

FOR BETTER RIDING EXPERIENCE

2000LM | OLED screen | Removable battery pack



# MASTER YOUR CYCLING PLAN

MAX OUTPUT/THROW: 2000LM/165m

# APPLICATIONS



Road Cycling



Trial Crossing



MTB Riding



## CREATIVE OLED SCREEN DESIGN

As an intelligent bike light, ALLTY2000 bike light has an OLED screen, which indicates lighting mode, battery level and available running time for all brightness levels. Thus to help you make better cycling plan.

## HIGH EFFICIENCY OPTICAL LENS

ALLTY2000 is embedded with an independent daytime running light and two enhanced high power LEDs that can output maximum 2000 lumens of light.

Considerable side lighting design provides riders with more attention.





**CONVENIENT USB CHARGING**



## REMOVABLE BATTERY PACK

The internal removable 7.2V 3500 mAh ( 2 x 3500mAh 18650 battery cell ) high capacity battery pack can keep running for up to 14.5 hours.

