

- Olight's first flashlight delivering normal white light and 3 helpful RGB lights for night vision protection, investigation, or signaling
- Ideal for directing traffic or marking a potential danger with the included traffic wand
- Max 1750-lumen output in an ultra compact size with useful dual switches

GENERAL DATA

Beam Distance(ft) 1,181 Beam Distance(m) 360

Max. Performance

1,750 (lumens)

Charge type Magnetic Charging Cable

Compatible Batteries Customized 5,000mAh 3.6V 21700 Rechargeable Lithium-ion Battery

Light Intensity 32,400 (candela)

Mode Operation Tail Switch & Side switch

Form/Size Factor Compact size

LIGHTING LEVELS

LEVEL 1 (lumens) 1,750~850~300

2+150+28 mins **Run-time LEVEL 1**

LEVEL 2 (lumens) 300

9.5 hrs **Run-time LEVEL 2**

GENERAL DATA

LEVEL 3 (lumens) 5

Run-time LEVEL 3

• 15 days

Red Light (lumens) 30

Run-time Red Light

22 hrs

Green Light (lumens) 60

Run-time Green Light

14 hrs

Blue Light (lumens) 25

Run-time Blue Light

12 hrs

Strobe Yes

TECHNICAL CHARACTERISTICS

Waterproof IPX8

Weight (g / oz) 202/ 7.13 Length (mm / in) 136/ 5.35

Head Diameter (mm /

in)

40.5/ 1.59

Body Diameter (mm /

in)

25.6/ 1.01

Light Source
High Performance Cool White LED, High Efficiency 635nm Red LED, High Efficiency 515nm Green

LED, High Efficiency 470nm Blue LED

Packaging Carton Box

Use Outdoors, Tactical, Law Enforcement, Traffic Direction, Self-defense, Everyday Carry

Freyr (Battery Included) x 1

MCC3 Magnetic USB Charging Cable x 1

Silicone Traffic Wand x 1

Package Contents • Pocket Clip x 1

Holster x 1

User Manual x 1













