

## Olight Javelot Turbo



### GENERAL DATA

<b>Beam Distance(meters)</b>	1300
<b>Max. Performance (lumens)</b>	1300
<b>Charge type</b>	MCC3 Magnetic Charging Cable
<b>Compatible Batteries</b>	Integrated Battery Pack(Two 3.6V 5000mAh 21700 Rechargeable Lithium Batteries Included)
<b>Light Intensity (candela)</b>	422,500
<b>Mode Operation</b>	Tail Switch/Side Switch
<b>LIGHTING LEVELS</b>	
<b>LEVEL 1 (lumens)</b>	1,300~800~500~150
<b>Run-time LEVEL 1</b>	<ul style="list-style-type: none"> <li>10+140+30+110 mins</li> </ul>
<b>LEVEL 2 (lumens)</b>	500~150
<b>Run-time LEVEL 2</b>	<ul style="list-style-type: none"> <li>350+130 mins</li> </ul>
<b>LEVEL 3 (lumens)</b>	150
<b>Run-time LEVEL 3</b>	<ul style="list-style-type: none"> <li>27 hrs</li> </ul>
<b>LEVEL 4 (lumens)</b>	15
<b>Run-time LEVEL 4</b>	<ul style="list-style-type: none"> <li>318 hrs</li> </ul>

## Olight Javelot Turbo

### TECHNICAL CHARACTERISTICS

<b>Waterproof</b>	IPX8
<b>Weight (g / oz)</b>	408 / 14.40(Including Batteries)
<b>Length (mm / in)</b>	259 / 10.2
<b>Head Diameter (mm / in)</b>	63 / 2.48
<b>Body Diameter (mm / in)</b>	25.8 / 1.02
<b>Led</b>	High Performance Neutral White LED
<b>Packaging</b>	Hard case
<b>Use</b>	Hunting, search and rescue, Outdoors
<b>Package Contents</b>	<ul style="list-style-type: none"><li>• Javelot Turbo (Batteries Included) x 1</li><li>• MCC3 Magnetic USB Charging Cable x 1</li><li>• Holster x 1</li><li>• User Manual x 1</li></ul>



## Olight Javelot Turbo



### COMPACT SIZE WITH SUPERSIZED BATTERY

**10000mAh** large-capacity battery pack guarantees **318 hours** of runtime and can quickly be replaced. Always ready to get back in the action.

### OPTIMIZATION FOR SMOOTH TACTICAL OPERATION


The signature 3-in-1 tail cap (same as the Odin) fits securely with our lockable ROD remote pressure switch. Handheld or mounted, the choice is yours.



▲  
Javelot Pro




▲  
Javelot Turbo



## Olight Javelot Turbo

### INTUITIVE OPERATION AND INDICATOR

The side switch for easy On/Off and brightness adjustment.  
The three-color indicator displays the battery level in realtime.



### MOUNTABLE, DURABLE AND DEPENDABLE

Tower-shaped tube body and 63mm head diameter make mounting effortless without blocking view.

**IPX8** waterproof and **1-meter** shockproof to withstand any harsh conditions.

