## **Product Info for OLIGHT M18 Striker Tactical Flashlight**

The M18 Striker is a defensive adaptation of the M18 Maverick. With an aggressive bezel and simple user interface, this tool is the ultimate self-defense flashlight. Depressing the clicky tailcap switch instantly blasts 800 lumens with either momentary or constant on. And because the highest output always comes on first, there is no room for error when you want to access the highest output to stop any assailant in his tracks. An 800-lumen strobe paired with the 1/4" stainless steel strike bezel offer last-resort defensive options for your protection. If you need a lower-lumen output for a non-defensive scenario, a 150-lumen output is also available. Powered by two CR123As, two RCR123As or a single 18650, the M18 Striker is perfect for concealed or every day carry to keep you safe in any situation.

## **Specifications for Olight M18 Striker Flashlight:**

525 ft / 160m			
6,435 cd			
IPX-8 (waterproof up to 2 meters)			
6.6 ft / 2m			
Cree XLamp XM-L2			
2x CR123A, 2x RCR123A, or 1x 18650			
5.2 in / 132.5mm			
2.0 oz / 57.5 g (excluding batteries)			
0.9 in / 23mm			
Light Output			
800 Lumens			
150 Lumens			
Runtime			
1.8 Hours			
8 Hours			

## Features of Olight M18 Striker Flashlight:

- Instant access to 800 lumens
- Aggressive strike bezel that serves as an additional defensive tool
- Tailcap switch clicks for constant on or provides momentary activation and strobe through half presses
- Two-position and removable pocket clip
- Easily accessible lock-out feature with a half turn the tailcap
- Waterproof up to 2 meters
- Aircraft-grade aluminum body with anti-scratch type III hard anodizing
- Stainless steel bezel provides protection from drops
- Overheat protection ramps down initial output after one minute

## **Technical Specs:**

	MODE 1	MODE 2
٢	800 lumens	150 lumens
G	1.8 hrs	8 hrs
	525 ft / 160m	
¢	6,435 cd	
≈	IPX-8 (waterproof up to 2 meters)	
$\mathbf{V}_{\mathbf{r}}$	6.6 ft / 2m	
	Cree XLamp XM-L2	
	2x CR123A, 2x RCR123A, or 1x 18650	
length	5.2 in / 132.5mm	
212	2.0 oz / 57.5 g (excluding batteries)	
$\ominus$	0.9 in / 23mm	











