

- Max 14,000 lumens with an 800-meter beam distance
- Toggle switch to quickly change from spotlight and floodlight modes
- Knob switch for instant activation and output changes
- USB-C rechargeable for quick charging or power bank function discharging

ADVANTAGES

✓ Extremely Powerful and Flexible

The Marauder 2 is the upgraded version of the X7R Marauder with an incredible number of new features. This light includes an 800-meter distance beam from the central LED, and a 14,000-lumen floodlight beam from 12 surrounding LEDs.




✓ Powerful Light Source

Secure light source for outdoor exploration. 14,000-lumen floodlight to illuminate a large area like the daytime. You will be able to see everything around you.



✓ Free Conversion In Hand

A simple toggle switch to select either spotlight or floodlight. The toggle switch at the middle is quick to select either spotlight or floodlight, while the upper rotary knob is intuitive to adjust brightness levels.




✓ Double Button Cooperative Power

Flip the toggle switch to choose between each light form. Rotate the knob switch to adjust output. Quick and simple.



✓ Equipped With Powerful Power Supply

Capable of 30W charging and 30W reverse charging. Only take 2.5 hours to fully charge. Able to charge a phone, a pad, or any device that uses a USB-C power source.



✓ Smart Lockout & Unlocking

An intuitive rotary knob switch to turn on the light and circle through 7 output levels. (Note: Rotate the knob switch quickly over 90 degrees to unlock it.)



✓ Built-in Proximity Sensor

Safest in its class as it has a thermal sensor, a proximity sensor, and cooling fins to protect against overheating and obstruction.



✓ New Interface Design

Its upgraded USB-C charging port allows fast charging and reverse charging, and is shielded by a port cover resembling aperture blades.



GENERAL DATA

Beam Distance (ft) 2,625 **Beam Distance (m)** 800

Max. Performance

(lumens)

14,000

Charge type USB-C Charging Cable

Compatible Batteries

Customized Three 3.6V 5000mAh 21700 Rechargeable Lithium-ion Batteries

(Built-in)

Light Intensity (candela) 50,600 (Floodlight); 160,000 (Spotlight) **Light Form** High Performance Cool White LEDs

Lens / Reflector Type TIR Lens & Converging Lens

Mode Operation Rotary Knob Switch & Toggle Switch

Form/Size Factor Medium Size

Series Series MARAUDER

LIGHTING LEVELS (Floodlight)
LEVEL 1 (lumens) 200

Run-time LEVEL 1

200 lumens;

GENERAL DATA

- 40 hours run-time
- 755 cd intensity
- 55m beam distance

LEVEL 2 (lumens)

400

400 lumens;

Run-time LEVEL 2

- 22 hours run-time
- 1,400 cd intensity
- 75 m beam distance

LEVEL 3 (lumens)

800

800lm;

Run-time LEVEL 3

- 13 hours- run-time
- 3,000 cd intensity
- 110 m beam distance

LEVEL 4 (lumens)

1,600

1,600lm;

Run-time LEVEL 4

- 450 Minutes run-time
- 6,000 cd intensity
- 155 m beam distance

LEVEL 5 (lumens)

3,200~1,600~800~400~200

3,200~1,600~800~400~200lm;

Run-time LEVEL 5

- 90+90+10+10+70 Minutes run-time
- 11,550 cd intensity
- 215 m beam distance

LEVEL 6 (lumens)

6,400~3,200~1,600~800

6,400~3,200~1,600~800lm;

Run-time LEVEL 6

- 13+120+40+22 Minutes run-time
- 22,500 cd intensity
- 300 m beam distance

LEVEL 7 (lumens)

14,000~3,200~1,600

14,000~3,200~1,600lm;

Run-time LEVEL 7

- 5+140+45 **Minutes** run-time
- 50,600 cd intensity

GENERAL DATA

• 450 m - beam distance

LIGHTING LEVELS (Spotlight)

LEVEL 1 (lumens) 50

50 lumens;

Run-time LEVEL 1

- **59hours** run-time
- 10,000 cd intensity
- 200m beam distance

LEVEL 2 (lumens)

100 lm;

100

Run-time LEVEL 2

- 31hours run-time
- 22,500 cd intensity
- 300 m beam distance

LEVEL 3 (lumens)

200

200lm;

Run-time LEVEL 3

- **19hours** run-time
- 40,000 cd intensity
- 400 m beam distance

LEVEL 4 (lumens)

300

300lm;

Run-time LEVEL 4

- **700minutes** run-time
- 62,500 cd intensity
- 500 m beam distance

LEVEL 5 (lumens)

500~300~200~100~50~6

500~300~200~100~50~6lm;

Run-time LEVEL 5

- 360+25+15+80+110minutes run-time
- 90,000 cd intensity
- 600 m beam distance

LEVEL 6 (lumens)

650~500~300~200~100

650~500~300~200~100lm;

Run-time LEVEL 6

- 115+180+20+20+85minutes run-time
- 122,500 cd intensity
- 700 m beam distance

GENERAL DATA

LEVEL 7 (lumens) 850~650~500~300~200~100

850~650~500~300~200~100lm;

Run-time LEVEL 7

• **20+170+85+25+15+85minutes** - run-time

• 160,000 cd - intensity

• 800 m - beam distance

Strobe Yes, 6,400 lumens, 13Hz

SOS / BEACON No

TECHNICAL CHARACTERISTICS

Waterproof IPX8

 Weight (g / oz)
 750 / 26.5

 Length (mm / in)
 140 / 5.51

 Head Diameter (mm / in)
 79 / 3.11

Body Diameter (mm / in) 53 / 2.09

Led TIR Lens & Converging Lens

Packaging Gift Box

Package Contents

Use Search and Rescue, Outdoors, Military, Law Enforcement

• Marauder 2 Orange(Batteries Built-in) x 1

• 0.8-meter USB-C(C2C) Cable x 1

• Power Adapter x 1

• Lanyard x 1

• User Manual x 1