

RN 100 TL

Motion-Sensitive Tail Light

The *Olight RN 100 TL* is a motion-sensitive tail light for your bike with its own accelerometer. Get an instantly activated burst mode of light when you brake or slow down on your bike. Whether you're cycling during the day or night stay visible with multiple output modes including constant, flashing, and other smart lighting modes.

This tail light is equipped with a memory function saving the last used output and returning to it when turned on again. There's also built-in USB charging and a battery indicator that will feed you live information about the remaining power.

• Constant

Auto Brake HighMidLowBrightness100lumens72lumens36lumens18lumensRuntime-1.5hours2hours3.5hours

O Flash

Au	to Brake	Breathe	Comet	Flash	Interactive
Brightness 100)lumens	0 - 72 - 0lumens	72- Olumens	0 - 72lumens	172 - Olumens
Runtime -	,	2.5hours	3.5hours	10hours	6hours

O Smart

Auto Brake DayNightBrightness100lumens5 - 70lumens3 - 70lumensRuntime-12hours3hours

Notable Features

- Max lumen output of 100 lumens that emits 260° around you
- Built-in motion sensor automatically turns to brighter outputs when braking
- Easy-to-read battery indicator shows remaining power
- Memory function saves last-used output and returns to that mode when turned on again
- 8 total modes including auto brake, flash, and breathe
- Ambient light sensor adjusts output according to your changing environment

Brand Olight Series RN MPN RN-100-TL Color Black Activity Biking **Light Source** 1 x COB **IPX Rating** IPX6 **Drop Resistance** 3.2ft / 1m Switch Body Material Plastic 0 Dimensions Length 2.76" / 70mm Width 0.98" / 25mm Height 0.75" / 19mm Weight 1.3oz / 37g ^O Battery & Charging **Battery Sizes** Battery Pack **Battery Included** Yes Capacity 800mAh **Rechargeable** Yes Charge Style Micro-USB • In The Box Olight RN 100 TL Saddle Mount Seat Post Mount [2] Tie Band Micro-USB Charging Cable User Manual

Technical DataCertificationsANSI, CE, RoHSCountry of OriginChinaUPC697237812244 5PackagingBoxedOlight 2 Years

Specifications

1	Turbo	High	Medium	Low	Moonlight		
Lumens:	100	72	36	18	-		
Runtime (Hours):	-	1.5	2	-	-		
Output Modes:	3+ Brightness Levels, Flashing						
Compatible Batteries:	Battery Pack						
Batteries Included:	Yes						
Included Accessories:	Bike Mount, USB Charging Cable, User Manual						
Flashlight Usage:	Bike						
Switch Location:	3.5						
Product Certifications	: ANSI, CE, RoHS, IPX4						
Brand:	Olight						
Primary Material:	Plastic						
Product Weight:	1.3oz						
Product Dimensions:	2.76" (L) x 0.98" (W) x 0.75" (H)						
UPC:	6972378122445						
MPN:	RN-100-TL						
Country of Origin:	China						

NEW RN 100 TL SMART TAIL LIGHT

START YOUR SAFE JOURNEY

MAX OUTPUT 渁 100 LUMENS

MAX RUNTIME VISIBILITY 260 DEGREE

 \bigcirc

12

HOURS

DROP TEST N. METER

fi 21:

BATTERY IIIII 3.7V 800mAh

WATERPROOF m **IPX6**

TO BE SEEN

100 lumens max, COB LED, 260 degrees wide visibility, visible from more than 1.5 miles away.

19mm

EFFICIENT LIGHT OUTPUT

Compares to red cover, transparent optical fiber emits stronger and uniform light outputs while consuming less energy.



SMART MOTION SENSOR

The motion sensor turns on automatically when braking, and lights up for 3s at maximum **100LM**.

ALL AROUND VISIBILITY

The translucent hard case gives RN 100 TL high side visibility, which lets riders to be seen from all directions.

MASTER YOUR WAY

Intelligent brightness sensor detects ambient light in real time and adjusts the output automatically.

GET HOME SAFELY

Low power flash triggered when the battery level is below 5% and lasts 20 minutes.

EASY TO MOUNT

With quarter lock style mount, RN 100 TL is easy to be mounted under saddle or different seat posts.

W