OLIGHT T10 V2010 with CREE XP-G R5 LED Flashlight, 210 Lumens



OLIGHT T10 R5

The T-Series from Olight; Olight's first product line that was an instant hit. The T-series lights have a great design that has been improved throughout the years. The original Q2 LED's were first upgraded to Q5's, then the engines were optimized to handle 3.6V Li-Ion cells. Now is a new chapter in the T-Series lights.

The line has been simplified to 4 lights: the T-10, T-15, T-20, and T-25. The Tactical and Military versions of the T-20 (and Tactical T-25) have been replaced; all the T-series lights are now tactical including the T-10 and T-15. A forward tactical click-switch for momentary output is now standard. The traditional user interface remains: loosen and tighten the head once to cycle through the 3 brightness levels and strobe. As before, the memory stores the last setting so it always turns on with the same level from when it was last turned off. Best of all, the lights are now using the latest CREE XP-G R5 LED's for improved lumen output.

The T-10 is super-compact with amazing power making it great as an EDC (Every Day Carry) or a back-up light. It takes up very little room on your belt and is small enough to fit in almost any pocket. This light is well made, with a smooth action on the threads and solid feel in switch. The T-10 can easily be converted into a T-15 using a T-15 battery tube (see Accessories for optional tube)... amazing versatility!

Specifications:

- LED type: CREE XLamp XP-G R5
- Battery: Uses 1 x CR123A battery primary or rechargeable (not included). Compatible with up to 1 x 4.2V RCR123A Battery
- Aircraft-grade aluminum body with Type III hard anodizing
- O-ring sealed, water resistant to IPX-8 standard
- Orange Peel reflector
- Ultra clear shatter-resistant lens
- Size: 88mm(L) x 21.6mm(D)
- Weight: 36g
- Included Accessories: one holster, one lanyard, two spare O-rings

Output/Runtimes: (ANSI FL1 SPEC)

- High: 210 lumens / 70 minutes
- Medium: 100 lumens / 3 hours
- Low: 5 lumens / 84 hours
- Strobe: 210 lumens / 140 minutes

Operation:

- To switch functions: Loosen the head an 1/8 a turn and tighten to cycle to the next function. Repeat to cycle through all functions.
- Lock-out Mode: To lock-out the switch, rotate the tailcap about 180° counter-clockwise. The lock-out position prevents accidental activation during storage or transport.

Specifications

	Turbo	High	Medium	Low	Moonlight
Lumens:	210	210	100	5	-
Runtime (Hours):	-	1.16	3	84	-
Output Modes:	3+ Brightness Levels, Strobe				
Compatible Batteries:	1 x CR123A				
Batteries Included:	No				
Included Accessories:	Holster, Lanyard, Spare O-ring(s)				
Flashlight Usage:	Every Day Carry				
LED:	CREE XP-G R5				
Switch Location:	Tailcap				
Product Certifications:	: ANSI				
Brand:	Olight				
Primary Material:	Anodized Aluminum				
Product Weight:	1.26oz				
Product Dimensions:	3.46" (L) x 0.85" (Diameter)				
UPC:	6950723819011				
MPN:	T10-T R5				
Country of Origin:	China				







OLIGHT T10 V2010 with CREE XP-G R5 LED Flashlight, 210 Lumens

