

WARRIOR X

REDEFINE THE TACTICAL FLASHLIGHT WARRIOR SERIES **10**th ANNIVERSARY

|2008 | M20 WARRIOR

M20 WARRIOR PREMIUM
M20 WA

2018 WARRIOR X



UPC: 6926540912754



WARRIOR X

The Warrior X produces
2000 lumens max or 300 lumens.
throw
560 meters and
can endure harsh
2-meter drops.

You can attach a remote switch and charge magnetically.

The vibrating power indicator reminds you without the need to glance at your light.

And there is so much more...







*The world's 1st tactical flashlight that reaches a 2,000-lumen output, 560-meter throw, and 2-meter drop test rating packed into one light!



DESIGN

















INTRODUCING TWO OF THE REVOLUTIONARY BREAKTHROUGHS WITH THE WARRIOR X AND TACTICAL FLASHLIGHT HISTORY





Did you notice that the beam throw of tactical flashlights is now longer than ever before? The longer beam helps hunters or users spot their prey or target easier.

Did you notice the metal tail switch on the Warrior X? This not only makes the switch wear-resistant but it allows quick charging magnetically. (Similar to the M2R Warrior)

What you won't notice without experiencing the Warrior X are the huge improvements.

Have you ever experienced trying to find a spare battery because you ran out of power? How about the low power indicator suddenly turning on when you want to be discreet?

The Warrior X takes care of these issues. We have equipped an internal motor which vibrates to remind you when the power is low. The almost silent vibration will let you know your power left even in darkness to help you prepare beforehand.

A tactical flashlight needs a remote pressure switch but how do we make it better? The Warrior X remote switch attaches magnetically allowing the user to install in seconds instead of unscrewing the tail cap.

We are constantly thinking about how to make the tactical flashlight better and more convenient for the user. The Warrior X implements new technology to help with that. Get one in your hands to learn more!



WHAT MAKES A FLASHLIGHT SO DURABLE?

Tactical flashlights may look similar but it's what's on the inside that counts. If you look inside the Warrior X, you will see how robust and thick the body is.

While using 3mm tempered glass for the lens, the entire body of Warrior X is made of aluminum alloy 2x as thick as other popular tactical flashlights. With that said, the net bodyweight is around 167g which is not much heavier than other popular brands on the market.







Olight Warrior X





that you can be here to touch and check it all.

Each Warrior X is produced with this quality and care to produce the most robust tactical flashlight on the market. For the drop test, we have randomly taken out 200 pcs of the largely produced Warrior X to conduct a 2-meter drop test. We dropped all 200 on a thick steel plate 1200 times in total from 2 meters high at 6 different angles.

The test displayed how drop resistant the Warrior X is without any broken glass as well. (This same test conducted with other branded tactical flashlights either had broken lenses or do not function properly)

We don't suggest dropping the Warrior X for fun, but this test accurately displays how strong the build is if that happens.



A WIDE ARRAY OF AVAILABLE ACCESSORIES

We understand that finding accessories for a lot of flashlights on the market can be difficult. We are here to change that. Unlike most brands on the market, we have provided a wide array of accessories for Warrior X.

INCLUDED ACCESSORIES:




TGR (tactical grip ring) ·made in silicon, help to grip stronger



3000mah 18650 lithium battery • no need to buy battery separately



Pouch



MCC1A magnetic charging cable charging becomes so easy

OPTIONAL AVAILABLE ACCESSORIES:



RWX Magnetic remote pressure switch — (fast connect)



X-WM02 Weapon mount — (quick amount)



E-WM25



UCC2A USB car charger — (charging in the car)



FM21-R Red filter



FM21-G Green filter



HOW MUCH IS IT? MSRP: Only \$129.99 USD

Please check the following pages to prepare your listings and information for your customers.

- 1. Warrior X Features
- 2. Warrior X Specifications
- 3. Magnetic Remote pressure switch
- 4. Weapon mount

1. WARRIOR X FEATURES

- **Powerful performance:** Using a 15A high-discharging 3000mAh 18650 lithium battery, the Warrior X produces a 2,000-lumen output and 560-meter throw allowing you to see even during heavy rain or foggy weather.
- **Heavy-duty build:** Thick aluminum alloy body and a 3mm tempered glass lens allows the Warrior X to endure a harsh 2-meter drop test without even a cracked lens.
- Quite to Conceal: Wear-resistant metal tail switch built for environments where stealth is key.
- Green & Rechargeable: Charge directly from the tailcap via the Olight MCC USB charging cable to avoid frequent battery change.
- Easy Operation: soft and deep press the tail switch to easily change between 2 output levels
- The world's first tactical flashlight with vibrating power indicator: Vibration alert if the battery is low anytime, anywhere (power≤30% vibrate once every 5 minutes; power≤10% vibrate once per minute; power≤5% vibrate 6 times per minute).
- The world's first tactical flashlight with a magnetic remote pressure switch allowing you to switch easily between handheld and weapon mounted
- A wide array of available accessories: including a silicon grip, magnetic weapon mount, picatinny rail mount, lanyard, pouch, MCC magnetic charging cable, magnetic remote pressure switch, USB car charger, and colored filters.
- Two optional lumen configurations: ideal for hunting, law-enforcement, and household applications.(default program: 300 & 2000 lumens for hunting; 2000 lumens & Strobe for law enforcement)



2. WARRIOR X SPECIFICATIONS & OTHER INFORMATION

FL1 STANDARD	MODE 1	MODE 2	MODE 3	Note: Test results achieved using a fully charged 3000mAh 18650 rechargeable battery which is included with the flashlight in a laboratory environment. Testing executed according to ANSI NEMA FL-1 2009
3112	2000 z 600 lumens	300 lumens	2000 lumens	
()	1.5+80min	280 minutes	13 HZ	
	560m	210m	N/A	
	78,400 cd	11,000cd	N/A	
шшш	(L)5.59 in/142.0mm, (head)1.61 in/41.0mm, (body)1.01 in/25.4mm			
212	7.69oz/218.0g (including battery and pocket clip)			
	3000mAh 18650 lithium battery (included)			
	Cree XHP35 NW LED			
The same of the sa	IPX 8 (2 meter)			
5	OLIGHT's 5 Year warranty			
Compliance	CE & RoHs			




UPC: 6926540916295
3. RWX
MSRP: \$29.99

WARRIOR X DEDICATED MAGNETIC REMOTE PRESSURE SWITCH

The RWX is our brand-new pressure switch built specifically for the Warrior X featuring a noiseless and a sensitive pad for perfect switch manipulation. The coiled cable extends the reach of the switch to around 0.8 meters. The RWX is securely connected to the flashlight body magnetically which is a first for the industry. The switch pad includes a long, wide, and tightly wrapped elastic strip allowing the entire surface to easily be activated. The RWX is the perfect weapon attachment accessory for your Warrior X.

FEATURES

- Natural length of the coiled cable is 0.25m while reaching 0.8m when fully stretched.
- The RWX and Warrior X are two independent products connected to each other for extended weapon operation.
- The RWX is securely connected to the flashlight body magnetically.
- Silent switch to conceal the user's position.
- Convenient switch pad. The RWX includes a long and elastic contact strip allowing the user to press anywhere on the pad to activate the switch.









WEIGHT

1.59 OZ/45g

BODY MATERIAL

AL6061-T6 Aluminum Alloy Heat Shrink Tubing

WARRANTY

OLIGHT's 2 Year Warranty Visit:https://olightworld.com/ olight-warranty




4. E-WM25

UPC: 6926540922050

MSRP: \$12.99

INNOVATIVE AND RELIABLE FLASHLIGHT-WEAPON MOUNTS



DIMENSIONS

Length: 79mm / 3.11 in Width: 35.5mm/ 1.40 in Height:31mm/ 1.22 in

WEIGHT

47g/1.66 oz

BODY MATERIAL

PC & Aluminum Alloy

STANDARD ACCESSORIES

E-WM25x1 Friction Platex2

ABOUT E-WM25

The E-WM25 Flashlight Mount is a high value and reliable solution to attach a flashlight to your firearm. You can connect any 1 inch/25.4mm body diameter flashlight to a firearm with a MIL-STD-1913 (Picatinny) rail without getting in the way of your grip or sights.

The E-WM25 Flashlight Mount is built with high-strength engineering plastics and aluminum alloy. Specifically built for strength and shock resistance The EM-25 features a large dial to tighten the flashlight securely to any MIL-STD-1913 (Picatinny) rail with a built in gear to prevent it from turning due to recoil. The E-WM25 Flashlight Mount is compatible with all 1 inch diameter Olight M series flashlights such as the M20SX, M21, M22, M2R, M2T,M23 and M3XS-UT as well as any other flashlight you may have with a body diameter of 24.4mm to 27.4mm.

FEATURES

- a) The E-WM25 Flashlight Mount is compatible with all flashlights with a body diameter of 24.4mm to 27.4mm.
- b) Compatible with any MIL-STD-1913(Picatinny) rail. Easily attach to any rail piece on your rifle while not impeding your sights.
- c) Made of high-strength engineering plastics and aluminum alloy. Proven structural strength and shock resistance that can tolerate severe climate conditions.
- d) Large diameter dial to easily tighten onto a rail with no tool needed.
- e) Specifically designed to not loosen up during shock, recoil, or heavy vibration.