

- Max 300 lumens, 60 meters throw, max 20 hours runtime just powered by a AA battery (included)
- Quick mode shifting through the anti-slip tail switch
- As time passes by, the beautiful copper oxide coating will finally appear

The i5T EOS CU is a tail switch copper EDC flashlight powered by a single AA battery with an amazing max output of 300 lumens. It features a double helix body knurling for attractive appearance, unique style, excellent ventilation and solid grip. It is equipped with a high-performance LED paired with a PMMA optic lens producing a soft and balanced beam for comfortable use. Copper EDC flashlight i5T EOS CU also features a dual direction pocket clip for multiple carrying options such as a pocket, backpack strap or hat brim as a headlamp in seconds for hands-free experience, making the EDC flashlight incredibly convenient to take with you everywhere.

GENERAL DATA

Beam Distance (ft)

Beam Distance (m)

Max.

Performance 300 (lumens)

GENERAL DATA

Compatible

1.5V AA Alkaline Battery/AA NiMH Battery

Light Intensity

(candela)

Batteries

910

Light Form

Wide/Broad Hotspot. Perfect for up close illumination.

Lens / Reflector

Type

Unique

Characteristics

PMMA Optic Lens (big, defined wide hotspot)

Mode Operation Tail Switch

Form/Size Factor Small Size (Car key / Zippo Lighter)

Series Series I

- Powerful for Its Size: Copper EDC flashlight i5T EOS CU compact and lightweight, powered by a convenient and widely available single AA battery, it delivers a max output of 300 lumens and a max throw of 60 meters.
- Unique Style: Copper EDC flashlight i5T EOS CU double helix body knurling is designed for unique style, excellent ventilation and solid grip.
- Highly Integrated Tail Switch: The user can operate momentary on and quick mode shifting (15/300 lumens) all through a convenient tail switch.
- Smooth and Easy Operation: The copper flashlight i5T EOS CU tail switch features a built-in spring, making the pressure smooth and just right; Embedded with small pearled silicone surface, the switch provides an anti-slip pressing experience.
- Versatile Carry Options: The dual direction pocket clip makes it convenient to carry the EDC flashlight in a pocket or attach to a hat brim or backpack strap for hands-free experience. With a lanyard hole, the clip can accept a 1.5mm diameter lanyard cord.

LIGHTING LEVELS

LEVEL 1 (lumens) 300~150~30

Run-time LEVEL 1

3+25+122min

LEVEL 2 (lumens) 15

Run-time LEVEL 2

20h

Strobe No SOS / BEACON No

TECHNICAL CHARACTERISTICS

Waterproof IPX8

Weight (g / oz) 105/ 3.7 Length (mm / in) 95/ 3.74

Head Diameter (mm /

in)

17.8 / 0.7

Body Diameter (mm /

in)

17.8 / 0.7

Led High Performance Cool White LED

Packaging Carton Blister

Use keychain, everyday carry, gift, outdoor, home

Flashlight Olight i5T EOS CU (1.5V AA Alkaline Battery Included)

X 1

Package Contents • Pocket Clip X 1

User Manual X 1





300 LUMENS



MAX RUNTIME



MAX THROW

20 HOURS

60 METERS



DROP TEST




1.5 METERS

IPX8

BATTERY 1.5V AA Alkaline Battery







A built-in spring inside.
Silicone small pearls outside.
All for anti-slip smooth pressing experience.



