

- Max 300 lumens output with a 60-meter beam distance
- Double helix body knurling with blue accents for unique style and solid grip
- Tail switch with small pearled silicone surface for an anti-slip experience
- Quick mode shifting all through a convenient tail switch
- The dual direction pocket clip brings hands-free experience

The i5T EOS is a tail switch EDC flashlight powered by a single AA battery with an amazing max output of 300 lumens. It features a double helix body knurling with blue accents for attractive appearance, unique style, excellent ventilation and solid grip. It is equipped with a high-performance LED paired with a PMMA optic lens producing a soft and balanced beam for comfortable use. It also features a dual direction pocket clip for multiple carrying options such as a pocket, backpack strap or hat brim as a headlamp in seconds for hands-free experience, making the flashlight incredibly convenient to take with you everywhere.

GENERAL DATA

Form/Size Factor

Beam Distance (ft) 196
Beam Distance (m) 60
Max. Performance (lumens) 300

Charge type Optional Charger

Compatible Batteries 1.5V AA Alkaline Battery/AA NiMH Battery

Light Intensity (candela) 910

Light Form Wide/Broad Hotspot. Perfect for up close illumination.

Lens / Reflector Type PMMA Optic Lens (big, defined wide hotspot)

Mode Operation Tail Switch

Small Size (Car key / Zippo

Lighter)

Series Series I

- Powerful for Its Size: Compact and lightweight, powered by a convenient and widely available single AA battery, it delivers a max output of 300 lumens and a max throw of 60 meters.
- Unique Style with Blue Accents: Double helix body knurling with blue accents is designed for unique style, excellent ventilation and solid grip.
- Highly Integrated Tail Switch: The user can operate momentary on and quick mode shifting (15/300 lumens) all through a convenient tail switch.
- Smooth and Easy Operation: The tail switch features a built-in spring, making the pressure smooth and just right; Embedded with small pearled silicone surface, the switch provides an anti-slip pressing experience.
- Versatile Carry Options: The dual direction pocket clip makes it convenient to carry the flashlight in a pocket or attach to a hat brim or backpack strap for hands-free experience. With a lanyard hole, the clip can accept a 1.5mm diameter lanyard cord.

LIGHTING LEVELS

Unique

Characteristics

LEVEL 1 (lumens) 300~150~30

Run-time LEVEL 1

3+25+122m

LEVEL 2 (lumens) 15

Run-time LEVEL 2

20h

Strobe No SOS / BEACON No

TECHNICAL CHARACTERISTICS

Waterproof IPX8
Weight (g / oz) 60/ 2.12
Length (mm / in) 95/ 3.74

Head Diameter (mm / in)

17.8 / 0.7

Body Diameter

17.8 / 0.7

(mm / in)

Led

High Performance Cool White LED

Packaging Carton Blister

Use keychain, everyday carry, gift, outdoor, home

Flashlight Olight i5T EOS (1.5V AA Alkaline Battery Included) X 1

PackagePocket Clip X 1ContentsUser Manual X 1















