

- Max 300 lumens output with a 60-meter beam distance
- Unique solid titanium construction with double helix body knurling
- Tail switch with small pearled silicone surface for no-slip grip operation
- Quickly change modes all through a convenient tail switch
- The dual direction pocket clip brings hands-free experience to a new level of convenience

GENERAL DATA

Beam Distance (ft) 196
Beam Distance (m) 60
Max. Performance (lumens) 300

Charge type Optional Charger

Compatible Batteries 1.5V AA Alkaline Battery (included) /AA NiMH Battery (compatible)

Light Intensity (candela) 910

Light Form Wide/Broad Hotspot. Perfect for up close illumination.

Lens / Reflector Type PMMA Optic Lens (big, defined wide hotspot)

Mode Operation Tail Switch

Form/Size Factor Small Size (Car key / Zippo Lighter)

Series Series I

LIGHTING LEVELS

LEVEL 1 (lumens) 300~150~30

Run-time LEVEL 1 • 3+25+122 mins

LEVEL 2 (lumens) 15

Run-time LEVEL 2 • 20 hrs

Strobe No SOS / BEACON No

TECHNICAL CHARACTERISTICS

Weight (g / oz) 76/ 2.68
Length (mm / in) 95/ 3.74
Head Diameter (mm / in) 17.8 / 0.7
Body Diameter (mm / in) 17.8 / 0.7

Led High Performance Cool White LED

Packaging Carton Blister

Use keychain, everyday carry, gift, outdoor, home

Flashlight Olight i5T EOS TI (1.5V AA Alkaline Battery Included) X 1

• Pocket Clip X 1
• User Manual x 1









