

S15-Ti Baton

Limited Edition

Polished coat



Bead-Blasted coat



Long, stainless steel pocket clip

Flat tailcap with strong magnet

Hole for lanyard attachment



Single-die CREE XM-L2 NW LED

Smooth, high-polished finish option

Lightweight, corrosion resistant Titanium body construction





Anti-roll bezel

Multi-function side switch

Bead-blasted finish option



OUTPUT

FL1 STANDARD	MODE 1	MODE 2	MODE 3	MODE 4
	260 LUMENS	80 LUMENS	7 LUMENS	0.3 LUMENS
	1.5 h	7 h	40 h	360 hrs
	81 m			
	1,640 cd			

Output and runtime data are measure from light running off a lithium-ion rechargeable battery

WATERPROOF

IPX 8

(resistant against powerful jets of water for at least 3 minutes)

DROP TEST



COMPLIANCE



LENS

Tough ultra-clear tempering glass, with anti-reflective coating

LIGHT SOURCE

1 x Cree XLamp XM-L2 NW

DIMENSIONS

Length: 3.38 in / 86mm

Bezel Diameter: 0.91 in / 23mm

Weight: 1.62oz / 63g (excluding batteries)

BODY MATERIAL

Titanium body construction that is lightweight and corrosion resistant

BATTERY SOURCE

1x AA

1x NIMH

1x Lithium-ion

WARRANTY

Olight's standard warranty.

Visit www.olightworld.com/warranty

ACCESSORIES

- Spare O-rings x2 (included)
- Silicone pad x1 (included)