

Olight SR92 Intimidator



Search and Rescue

Intimidate with Authority

Next up in Olight's ever growing search and rescue department is the SR92 Intimidator. This high intensity LED search light is designed to provide a strong reach and illumination, all in a compact package. Featuring an anti-slip knurled, hard anodized aircraft-grade aluminum body, the SR51 is a pleasure to hold. The easy to use interface allows for smooth switching between modes. The SR92 also features an intelligent temperature control system, and ultra long runtime. The SR92 is ideal for search and rescue, marine navigation, border patrol, security, and extreme outdoor activities.

Lighting Technology

Is that the Sun? NO! It's an SR92

The SR92 is equipped with three CREE XM-L T6 LED's and produces a blistering **1700 lumens** on High. While in Low mode, which emits 450 lumens, the SR92 can run for up to 11 hours. You can shine a beam as far as a whopping **1,000 meters**, which is a little under 11 football fields. That will definitely make sure you can see everything in sight. A multi-function click side-switch with a memory function remembers the last power setting used and is also a quick access to strobe mode. Also, the SR92 features a lock-out function, so you don't have to worry about accidentally activating the light. The perfect luminous spot and wide area of lighting makes this an ideal search and rescue light.

Olight SR92 Intimidator

Power

There Are Some Options

Powering this beast of a light is a 7.4V 6000mAh battery pack. If you feel the need to have back up power, we offer a 7800mAh Battery Pack, so you'll never be left in the dark. If you still feel the need to be plugged in, you can purchase the 12V DC Car Charger, so you'll be good to go in the car. The advanced interface tells you the percentage of charge you have left in your battery by the amount of lights that are on. You don't need to worry if you SR92 gets wet because it is IPX-8 rated and can be submersed in two meters of water for up to 30 minutes.

Features:

- Friendly user interface, press and hold the switch for transferring mode
- Rechargeable battery handle
- Battery handle is also compatible with the SR90/SR91 and the head accessories or extra batteries pack parts are optional
- Smart-circuit provides thermal protection
- Anti battery polarity reverse protection
- Two digitally controlled constant brightness levels and strobe
- Rugged indestructible aluminum body with anti-scratching type III hard anodization, Engineered anti-slip knurling for a tightly firm grip
- Intelligent temperature control system to stop flashlights overheated
- Super Strong anti-reflex coating lens,99% effective transmission
- Advanced digital power management system
- Excellent tri-dimensional heat dissipation ability
- Included: charger, strap, o-rings, carrying case, and manual

Specifications:

- LED: 3x CREE XM-L U2
- Runs on: Rechargeable 7.4V 6000mAh Battery Pack (Battery included)
- Output mode/Runtime:
 - High: 1700 lumens / 1.83hrs
 - Low: 450 lumens / 11hrs
- Dimensions:
 - Length: 10.7" (273mm)
 - Body Diameter: 2.93" (100mm)
- Weight: 41.6 .oz (1180g) (excluding batteries)

Olight SR92 Intimidator

Specifications

| | Turbo | High | Medium | Low | Moonlight |
|-------------------------|-----------------------------------|-------------|---------------|------------|------------------|
| Lumens: | 1700 | 1700 | - | 450 | - |
| Runtime (Hours): | - | 2.5 | - | 11 | - |
| Output Modes: | Dual Brightness Levels, Strobe | | | | |
| Compatible Batteries: | Battery Pack | | | | |
| Batteries Included: | Yes | | | | |
| Included Accessories: | Charger, Spare O-ring(s), Strap | | | | |
| Flashlight Usage: | Search | | | | |
| Throw Distance (Max): | 1000m | | | | |
| LED: | CREE XM-L T6 | | | | |
| Switch Location: | Body | | | | |
| Product Certifications: | ANSI, IPX-8 | | | | |
| Brand: | Olight | | | | |
| Warranty: | Olight 5 Year Warranty | | | | |
| Primary Material: | Anodized Aluminum | | | | |
| Product Weight: | 41.6oz | | | | |
| Product Dimensions: | 10.7" (L) x 2.93" (Body Diameter) | | | | |
| UPC: | 6950723818212 | | | | |
| MPN: | SR92 | | | | |
| Country of Origin: | China | | | | |

Olight SR92 Intimidator



Olight SR92 Intimidator

OLIGHT

SR92 Intimidator



The First Flashlight Use **Three Cree XM-L LED**
Max Output up to **1700 Lumens**
It's a New Milestone of Brightness

Two charging methods:
With the whole torch/only the battery tube
Four indicators on the tail for indicating the power condition


OLIGHT

SR92 Intimidator



Qualified for Outdoor Rescuse and Searching Use

Olight SR92 Intimidator




Olight SR92 Intimidator



Olight SR92 Intimidator



SR92 Intimidator

| | | High | Low | Strobe |
|--|-----------------|---|----------------------------------|-------------|
|  LED | LED | Three Cree XM-L LED | | |
|  Lumens | Lumens | 1700 Lumens | 450 Lumens | 1700 Lumens |
|  Run Time | Run Time | 150 Minutes | 11 Hours | |
|  Maximum Throw | Maximum Throw | 1000 Meters | | |
|  Size | Size | 273mm(L)*100mm(D) | Weight:1180g (With Battery Pack) | |
|  Water Resistant | Water Resistant | Highly water resistant to IPX-8 | | |
|  Battery | Battery | Built-in 7.4V 6000mAh rechargeable battery pack | | |