

Olight i3T EOS Brass



- Max 180-lumen output powered by a single AAA battery
- Double helix body knurling for unique style and solid grip
- Tail switch operation for momentary/constant on and quick mode changes (5/180-lumen)
- Equipped with a TIR optic lens producing a soft and balanced beam

ADVANTAGES

✓ i3T EOS in Brass

Powered by a single AAA battery, the i3T delivers a max output of 180-lumens with a 60-meter beam distance.

NEW i3T EOS BRASS
DISCREET CARRY
AAA POWERHOUSE

MAX OUTPUT ☀️ 180 LUMENS	MAX RUNTIME 🕒 16 HOURS	MAX THROW 📏 60 METERS	DROP TEST ✅ 1.5 METERS	BATTERY 🔋 1.5V AAA ALKALINE BATTERY (INCLUDED)	WATERPROOF 🌊 IPX8
--------------------------------	------------------------------	-----------------------------	------------------------------	--	-------------------------

Olight i3T EOS Brass

✓ Classic Solid Brass

With this classic solid brass material, the limited edition i3T is worth being collected and features a double helix body knurling for a firm grip.



✓ Small and Mighty

Incredible 180-lumen output from a standard AAA battery



Olight i3T EOS Brass


✓ Perfect Operation

Grippy tail switch with silicone pearls on the surface and a strong spring underneath for crisp and easy operation.



✓ Unique Style


The i3T features a unique double helix body knurling for a solid grip and refined style.



Olight i3T EOS Brass

✓ Premium Beam

Paired with a TIR optic lens, the i3T produces a soft and balanced beam.



PREMIUM BEAM

The excellent LED, paired with the TIR optic lens, produces a soft and balanced beam.

✓ Convenient Carry

The dual-direction pocket clip with a lanyard hole allows users to carry the light in either direction.



CONVENIENT POCKET CLIP

The two-way pocket clip with a lanyard hole allows users to carry the light at great ease.

Olight i3T EOS Brass

GENERAL DATA

Beam Distance(ft)	196
Beam Distance(m)	60
Max. Performance (lumens)	180
Compatible Batteries	1.5V AAA Alkaline Battery (included) x 1 1.5V AAA NiMH/Lithium Battery (compatible) Note: NOT Compatible with Li-ion Battery
Light Intensity (candela)	900
Light Form	Wide/broad hotspot. Perfect for up-close illumination.
Lens / Reflector Type	TIR reflector (big, defined wide hotspot)
Mode Operation	Tail Switch
Form/Size Factor	Small size (Car key / Zippo Lighter)
Series	Series I (Keychain)

LIGHTING LEVELS

LEVEL 1 (lumens)	180
Run-time LEVEL 1	<ul style="list-style-type: none">• 21 minutes
LEVEL 2 (lumens)	5
Run-time LEVEL 2	<ul style="list-style-type: none">• 16 hours

Strobe No

SOS / BEACON No

TECHNICAL CHARACTERISTICS

Waterproof	IPX8
Weight (g / oz)	75/ 5.2
Length (mm / in)	89/ 3.5
Head Diameter (mm / in)	15/ 0.59
Body Diameter (mm / in)	15/ 0.59
Led	Philips LUXEON TX
Packaging	Carton Blister
Use	keychain, everyday carry, gift

Olight i3T EOS Brass

GENERAL DATA

- | | |
|-------------------------|---|
| Package Contents | <ul style="list-style-type: none">• i3T EOS Brass(battery included) x 1• Pocket Clip x 1• User Manual x 1 |
|-------------------------|---|